

AETES

115V OUTDOOR OUTLETS

Weatherproof Enclosure

UL / CSA Compliant

Cast Aluminum




"...power alliance..."

Description


AETES rugged metallic construction is made from maximum corrosion resistant, diecast copper free aluminum with a durable powdercoat finish, designed to withstand the elements, any season, rain or shine. Powder coat finish provides maximum weatherability and scratch resistance. Self-closing lids assure weatherproof protection when the receptacle is not in use. AETES's high-quality, outdoor power products are engineered for success to stand the test of time and make sure the job gets done right the first time. AETES is widely recognized as the industry's leading supplier of weatherproof power products.

General Technical Data


Ratings UL / CSA	Max. 125V AC ; 15A / 20A / 30A
Dielectric Strength	> 2kV between L/N-PE
Material, Power Contacts	Brass
Allowable Operation Temp.	-40 °C to 75 °C / -40 °F to 167 °F
Degree of Protection	from front side IP 54 acc. to IEC 60529
Compatibility	UL Standard UL514A cUL Standard CSA-C22.2 No:18.1-04
Material, Power Contacts	Brass
Material, Housing	Die Cast Aliminum
Color, Housing	Grey
Entry Holes	3 x 1/2"
Terminal, Accommodation	14 to 10 AWG / Screw



Designation Codes



"...power alliance..."



AETES
"...power alliance..."

The specifications, drawings and images indicated in this document are based on current information. All content is subject to modifications or additions. For more information on our local sales offices, visit us at our website below.